

“Effective June 12, 2020 under the [Province's Stage 2 reopening plan](#), Restaurants and Patios in the Township of Wellesley are permitted to re-open for dining in outdoor areas only, such as patios, curbside, parking lots and adjacent premises.

[The Alcohol and Gaming Commission of Ontario \(AGCO\)](#) will not require licensees to apply or pay a fee for temporary extensions for licensed establishments, subject to having municipal approval and meeting all other applicable requirements.

Temporary patio approvals can be sought through emailing Chris Cook, Director of Public Works at [ccook@wellesley.ca](mailto:ccook@wellesley.ca) . Please ensure you review the Township Protocol and Procedures for Establishment or Expansion of Temporary Commercial Patios on Private Property prior to emailing and include in the email request the 10 items of required information as outlined in the protocols.

Temporary patios are also subject to the [Region of Waterloo's protocol for re-opening restaurants and food services](#).”

### **Protocol and Procedures for Establishment or Expansion of Temporary Commercial Patios on Private Property**

To help support hospitality sector workers and businesses during the COVID-19 pandemic, the Ontario government allows restaurants and bars to temporarily extend outdoor patio spaces to safely accommodate patrons and staff effective June 12, 2020.

Restaurants and bars may create a temporary patio adjacent to their premise or increase the size of their patio as of June 12, 2020. This temporary measure will allow the public to safely enjoy service that meets physical distancing requirements and other public health guidelines.

Please note that patios intended to be used to serve alcoholic beverages may only be created or expanded if the establishment is already licensed by the Alcohol and Gaming Commission of Ontario (AGCO).

Any approval granted under this protocol will expire on January 1, 2021 at 3:00 a.m.

### **Application Process and Required Information**

In order to apply, the following information will be required:

1. Confirmation whether the patio will be use to serve alcohol and, if so, confirmation of an existing license from the AGCO
2. Applicant's name, phone number and email address

3. Business' name and address
4. Property owner's name, phone number and email address (if the applicant is not the property owner)
5. Written authorization from the property owner to apply (if the applicant is not the property owner)
6. The current seating capacity within the restaurant
7. Confirmation as to whether the restaurant has an existing patio and, if so, existing seating capacity of the patio
8. The current permitted occupant load within the restaurant. (This is normally included on the building permit received when the business opened). If this information is not available, the field can be left blank)
9. How many toilets the restaurant has listed by number of male, female and universal as applicable
10. A sketch of the new or expanded patio layout providing sufficient information to demonstrate compliance with Patio Design Requirements.

### **Township Review**

Staff will review the following information prior to issuance of a Temporary Patio Permit:

1. Determine if the property has an approved site plan
2. Determine if the existing use has an occupant load noted
3. Conduct a footprint review to assess proposed footprint against Patio Design Requirements
4. If occupant load is unknown, staff will determine the potential occupant load
5. Staff will confirm with the applicant the appropriateness of the proposed footprint or provide an alternate footprint
6. Once patio layout is agreed to, staff will issue a Temporary Patio Permit
7. Once installed, Staff may conduct an inspection to ensure patio has been implemented in accordance with the approved plan and permit at any time unannounced

## **Patio Design Requirements**

### **Patio Footprint**

1. The patio shall not obstruct any fire hydrants or connections.
2. The patio shall not obstruct any fire exits.
3. Where located adjacent to a sidewalk, the patio should continue to maintain a minimum walkway of 2.5 metres. If patio tables are located at least 0.7 metres from the edge of the patio, the minimum walkway may be reduced to 1.8 metres.
4. The patio shall not block any walkways or ramps required for barrier free access.
5. The patio shall be located outside any driveway or corner visibility triangles. Such triangles may be shown on the approved site plan.
6. If located in a parking area, the patio shall not obstruct any fire routes or significantly impede access from the fire route to the main entrance.
7. If located in a parking area, the patio limits should not be located directly adjacent to an active parking stall. Where possible, a buffer of 1 full or 1 half parking space should be provided.
8. If located in a parking area, the patio shall not cover any barrier free parking spaces, unless said parking spaces are planned to be replaced in an alternate, suitable location.

### **Patio Capacity**

1. The number of patrons (seats) which can be located on a patio shall be determined based on the overall occupant load of the restaurant. At no time may the total seats inside the restaurant and outside on the patio exceed to total occupant load.
2. Seating currently approved within the restaurant may be removed and replaced with equivalent seating on the patio.
3. Where occupant load is known, and where the current indoor seating capacity is less than the occupant load, the additional seating capacity may be assigned to the patio.

### **Patio Layout**

1. The limits of the patio must be clearly defined as follows:
  - a. Where no alcohol is served, and the patio is not adjacent to vehicular traffic, the patio may be defined utilizing fixed measures, such as painted lines, planter boxes, fencing or

posts and chains.

b. Where alcohol is served, the patio must be defined in accordance with AGCO rules.

c. If adjacent to traffic, the patio must be defined utilizing measures which ensure vehicles cannot enter the patio, such as fencing, planters, etc.

2. Patio tables should be positioned in such a manner as to ensure 1.8 metres of physical distancing can be maintained between patio patrons and passing pedestrian traffic. Appropriate measures shall be incorporated to ensure protection of patrons on the patio. This could include measures such as fencing or planter boxes.

3. Where located adjacent to the restaurant, the patio must maintain a minimum 1.8-metre-wide unobstructed pathway from the door to the sidewalk or parking area.

4. Where located away from the restaurant (such as in a parking area) the patio must maintain a minimum 1.8m entrance into the patio.

5. Tables and chairs must be located in a manner that achieves physical distancing as recommended by Waterloo Region Public Health. Presently, a minimum of 1.8 metres should separate any grouping of tables and chairs.

6. Where physical distancing requirements lessen below 1.8 meters, at least 10% of the patio seating must be barrier free accessible via a minimum pathway of 1.1 metres.

### **Region of Waterloo Public Health Requirements**

Temporary patios are also subject to the Region of Waterloo's protocol for re-opening restaurants and food services.

### **Updates to this Protocol**

This protocol may be updated from time to time as any applicable legislation changes occur. Additionally, Township and Regional staff are currently working on policies related to patios on road allowances and boulevards.

If you require any clarification or have questions regarding this process, please email your inquiries to Chris Cook, Director of Public Works at [ccook@wellesley.ca](mailto:ccook@wellesley.ca)